

# ARIZONA


CONCRETE ROOF TILE COLLECTIONS

**NEWPOINT**<sup>TM</sup>  
CONCRETE ROOF TILE



**Westlake**  
Royal Roofing Solutions<sup>TM</sup>





Asphalt Shingle

**139°**

attic temperature

Concrete Tile

**94°**

attic temperature

# Why Tile?

## NATURAL PROTECTION

Attic temperatures measured using identical heat sources simulating the sun's radiation comparing Newpoint™ Cool Roof System to a common asphalt shingle installation. The result is less heat in the attic and lower energy bills.



# Material Matters.



## BEAUTY MATTERS

Our Newpoint™ concrete tiles have texture and substance, creating a true multidimensional look for your roof. Their natural colorways harmonize easily with other exterior building elements.

## DURABILITY MATTER

Newpoint™ engineered tile is specifically designed for new build and reroof, helping provide protection from the elements.

## VALUE MATTERS

Westlake Royal Roofing Solutions™ stands behind the quality of our roof tile with a Fully Transferable, Non-Prorated Limited Lifetime Warranty.

## SUSTAINABILITY MATTERS

Newpoint™ roof tile is locally made and materials sourced in Arizona.







# Color Matters.

As the market leader, we strive to enhance the curb appeal of your home. We continuously develop new colors to harmonize with the shifting architectural trends in Arizona. We take pride in the color quality and blending we provide.



# 3 STYLES

Newpoint™ concrete roof tile easily harmonizes with all three dominant architectural styles.



## TRADITIONAL

American adaptations of regional home styles from other time periods or areas of the world. Often mixed references.



MEDITERRANEAN  
TUSCAN  
SPANISH MISSION  
CRAFTSMAN / BUNGALOW  
COLONIAL



## TRANSITIONAL

Prefers the clean lines of contemporary architecture, but draws heavily on details and styles from traditional architecture.



RANCH / SPLIT LEVEL  
PRAIRIE STYLE  
MIXED LOOKS



## CONTEMPORARY

Characterized by a preference for clean lines, open concepts, decoration, ample light sources, large windows, and lack of round forms.



MODERN  
MID-CENTURY MODERN






Mission "S" | La Terra Blend

## HIGH & MEDIUM TILE PROFILE COLLECTIONS




### Mission "S"



Mission "S" is reminiscent of the Spanish roofs found on early missions in the Southwest, dramatically capturing the beautiful, rustic appearance of the Old World.

P. 13


### Boosted Barcelona Caps



Available installation application of Mission "S" which creates the appearance of an authentic mortar-boosted tile.

P. 19

### Villa



Emulates beautiful Mediterranean styles found in Italy and Southern France.

P. 21



Mission "S" | Old Mesquite Blend



Villa | Hopi Blend



Villa | Terra Cotta






Madera | Mountainwood

## LOW PROFILE COLLECTIONS




### Saxony® 900 Slate



Beautiful design representative of styles found in England, Northern Europe and the US Eastern Seaboard. Versatile enough to accentuate any architectural style.

P. 23

### Saxony® 900 Shake




Captures rustic beauty of hand-hewn shakes. Ideal for French Country, Victorian Craftsman or Cottage architectural styling.

P. 27

### DESIGNER PRODUCT

### Madera 900




Madera 900 is the most affordable, authentic replication of a hand-split cedar shake roof available.

P. 31



Shake | Brown Blend



Slate | Stone Mountain Blend



Madera | Autumnwood





# Mission "S"



Mission "S" | Barro Rojo

**Terra Cotta**  
1MSCS6100



CRRC Rated Product - 0942-0049  
Ref: 0.29 / Emi: 0.89 / SRI: 30 / Aged SRI: 32

**Desert Sunset**  
1MSCS6676



**Barro Rojo**  
1MSCS7024



**Salerno Clay**  
1MSCS6330



CRRC#: 0942-0012  
Ref: 0.17 / Emi: 0.93 / SRI: 17 / Aged SRI: 22

**Verona Clay**  
1MSCS7330



CRRC Rated Product - 0942-0004  
Ref: 0.20 / Emi: 0.93 / SRI: 20 / Aged SRI: 23

**La Terra Blend**  
1MSCS6031



CRRC Rated Product - 0942-0075  
Ref: 0.21 / Emi: 0.87 / SRI: 19 / Aged SRI: 27



**Marbled Terra Cotta**  
1MSCS6129



CRRC Rated Product - 0942-0020  
Ref: 0.19 / Emi: 0.91 / SRI: 18 / Aged SRI: 22

**Desert Driftwood**  
1MSCS3601



**Sandstorm**  
1MSCS0026



**Desert Sage**  
1MSCS0024



CRRC Rated Product - 0942-0022  
Ref: 0.27 / Emi: 0.93 / SRI: 29 / Aged SRI: 28

**Gulfstream**  
1MSCS4960



CRRC Rated Product - 0942-0013  
Ref: 0.21 / Emi: 0.91 / SRI: 21 / Aged SRI: 24

**Charcoal Blend**  
1MSCS1430



CRRC Rated Product - 0942-0072  
Ref: 0.17 / Emi: 0.91 / SRI: 16 / Aged SRI: 17

**Desert Mirage**  
1MSCS3640



CRRC#: 0942-0029  
Ref: 0.20 / Emi: 0.89 / SRI: 18 / Aged SRI: 21

**Apple Bark**  
1MSCS0431




CRRC Rated Product - 0942-0007  
Ref: 0.18 / Emi: 0.90 / SRI: 16 / Aged SRI: 19

**Desert Skyline Taupe**  
1MSCS6250



CRRC Rated Product - 0942-0028  
Ref: 0.19 / Emi: 0.90 / SRI: 18 / Aged SRI: 22

**Cascara Brown**  
1MSCS3238



**Charcoal Brown Blend**  
1MSCS1132



CRRC Rated Product - 0942-0005  
Ref: 0.18 / Emi: 0.91 / SRI: 17 / Aged SRI: 19

**Stone Mountain Dark**  
1MSCS5360




**California Mission Blend**  
1MSCS6464




CRRC Rated Product - 0942-0008  
Ref: 0.19 / Emi: 0.91 / SRI: 18 / Aged SRI: 24

**Sierra Cove Brown**  
1MSC3570




**Ironwood**  
1MSCS5773



CRRC Rated Product - 0942-0080  
Ref: 0.11 / Emi: 0.93 / SRI: 9 / Aged SRI: 10

**Old Mesquite Blend**  
1MSCS0772



**Verde Blend**  
1MSCS7694











# Boosted Barcelona Caps



**Salerno Clay**  
1BGCS6330K



CRRC Rated Product - 0942-0012  
Ref: 0.17 / Emi: 0.93 / SRI: 17 / Aged SRI: 22

**Apple Bark**  
1BGCS0431K



CRRC Rated Product - 0942-0007  
Ref: 0.18 / Emi: 0.90 / SRI: 16 / Aged SRI: 19

**Verona Clay**  
1BGCS7330K



CRRC Rated Product - 0942-0004  
Ref: 0.20 / Emi: 0.93 / SRI: 20 / Aged SRI: 23





# Villa



**Hopi Blend**  
1VASS0644 Slurry Finish



CRRC Rated Product - 0942-0033  
Ref: 0.49 / Emi: 0.90 / SRI: 57 / Aged SRI: 52

**Terra Cotta Gold Flashed**  
1VASS6317 Slurry Finish



CRRC Rated Product - 0942-0023  
Ref: 0.26 / Emi: 0.91 / SRI: 27 / Aged SRI: 28

**Terra Cotta**  
1VASS6100 Slurry Finish




CRRC Rated Product - 0942-0049  
Ref: 0.29 / Emi: 0.89 / SRI: 30 / Aged SRI: 32

**Terra Cotta Flashed**  
1VASS6300 Slurry Finish



CRRC Rated Product - 0942-0018  
Ref: 0.19 / Emi: 0.91 / SRI: 18 / Aged SRI: 19





# Saxony® 900 Slate




**Charleston**  
1FJCS6070



CRRC Rated Product - 0942-0073  
Ref: 0.29 / Emi: 0.87 / SRI: 29 / Aged SRI: 31

**Desert Mirage**  
1FJCS3640



CRRC Rated Product - 0942-0029  
Ref: 0.20 / Emi: 0.89 / SRI: 18 / Aged SRI: 21

**Marbled Terra Cotta**  
1FJCS6129



CRRC Rated Product - 0942-0020  
Ref: 0.19 / Emi: 0.91 / SRI: 18 / Aged SRI: 22

**Cattails**  
1FJCS3960



**Cherrywood**  
1FJCS7002



CRRC Rated Product - 0942-0006  
Ref: 0.19 / Emi: 0.91 / SRI: 18 / Aged SRI: 19

**Natural Brown**  
1FJCS3075





# Saxony® 900 Slate



**Desert Skyline Taupe**  
1FJCS6250



CRRC Rated Product - 0942-0028  
Ref: 0.19 / Emi: 0.90 / SRI: 18 / Aged SRI: 22

**Chestnut Brown**  
1FJCS3613



CRRC Rated Product - 0942-0098  
Ref: 0.26 / Emi: 0.89 / SRI: 26 / Aged SRI: 33

**Desert Sage**  
1FJCS0024



CRRC Rated Product - 0942-0022  
Ref: 0.27 / Emi: 0.93 / SRI: 29 / Aged SRI: 28

**Appalachian Blend**  
1FJCS0330




CRRC Rated Product - 0942-0069  
Ref: 0.14 / Emi: 0.89 / SRI: 11 / Aged SRI: 14

**Stone Mountain Blend**  
1FJCS5354



CRRC Rated Product - 0942-0047  
Ref: 0.17 / Emi: 0.90 / SRI: 15 / Aged SRI: 23

**Stone Mountain Dark**  
1FJCS5360



**Brown Blend**  
1FJCS3233



CRRC Rated Product - 0942-0003  
Ref: 0.20 / Emi: 0.92 / SRI: 20 / Aged SRI: 21

**Monterey Sand Brown Flash**  
1FJCS0023



**Forest Green**  
1FJCS4598



CRRC Rated Product - 0942-0011  
Ref: 0.20 / Emi: 0.93 / SRI: 20 / Aged SRI: 22

**Sierra Cove Brown**  
1FJCS3570







# Saxony® 900 Shake



**Weathered Cedar**  
1FKCN3463



**Desert Driftwood**  
1FKCN3601



**Toffee**  
1FKCN0007



**Natural Brown**  
1FKCN3075



CRRC Rated Product - 0942-0001  
Ref: 0.15 / Emi: 0.93 / SRI: 14 / Aged SRI: 19

**Hickory**  
1FKCN3726



**Sierra Cove Brown**  
1FKCN3570



CRRC Rated Product - 0942-0065  
Ref: 0.15 / Emi: 0.93 / SRI: 14 / AGED SRI: 19



# Saxony® 900 Shake




**Monterey Sand Brown Flash**  
1FKCN0023



**Kocomo Blend**  
1FKCN3763



**Natural Grey Flash**  
1FKCN5261



**Brown Blend**  
1FKCN3233



**Charcoal Brown Blend**  
1FKCN1132

**NEW COLOR**



**Forest Green**  
1FKCN4598



CRRC Rated Product - 0942-0003  
Ref: 0.20 / Emi: 0.92 / SRI: 20 / Aged SRI: 21

CRRC Rated Product - 0942-0005  
Ref: 0.18 / Emi: 0.91 / SRI: 17 / Aged SRI: 19

CRRC Rated Product - 0942-0011  
Ref: 0.20 / Emi: 0.93 / SRI: 20 / Aged SRI: 22



Shake | Hickory

**Charcoal Blend**  
1FKCN1430



CRRC Rated Product - 0942-0072  
Ref: 0.17 / Emi: 0.91 / SRI: 16 / Aged SRI: 17



Shake | Charcoal Blend





# Madera 900

**DESIGNER PRODUCT**



**Autumnwood**  
1MDCL3002



CRRC Rated Product - 0942-0070  
Ref: 0.13 / Emi: 0.87 / SRI: 8 / Aged SRI: 9

**Vintagewood**  
1MDCL5011



CRRC Rated Product - 0942-0089  
Ref: 0.12 / Emi: 0.94 / SRI: 11 / Aged SRI: 14

**Mountainwood**  
1MDCL5001



CRRC Rated Product - 0942-0110  
Ref: 0.08 / Emi: 0.93 / SRI: 5 / Aged SRI: 7

**Winterwood Blend**  
1MDCL5120



CRRC Rated Product - 0942-0183  
Ref: .21 / Emi: .91 / SRI: 21 / Aged SRI: 21

**Tahoe Blend**  
1MDCL3230



CRRC Rated Product - 0942-0169  
Ref: .17 / Emi: .91 / SRI: 16 / Aged SRI: 16

**Elkwood**  
1MDCL0072



CRRC Rated Product - 0942-0081  
Ref: .16 / Emi: .94 / SRI: 16 / Aged SRI: 14




Have you considered what is underneath your roof tile?


# Newpoint™ Cool Roof System



Five components provide energy efficiency and give substantial return on your investment.




Newpoint™ Concrete Tile



Westlake Royal TileSeal™ Underlayment




Vented Eave Riser



Elevated Batten System®



Vented Ridge



## Energy Savings Every Year

**22%** Reduction in heating and cooling costs<sup>†</sup>





























For more information, please visit our website [WestlakeRoyalRoofing.com](http://WestlakeRoyalRoofing.com)

<sup>†</sup>Steep-slope Assembly Testing of Clay and Concrete Tile with and without Cool Pigmented Colors, Oak Ridge National Laboratory, 2005. Results vary based on profile of tile installed, location, weather and other factors.



# Specifications

# Finishing Touches

MISSION "S"	Size	Height	Coverage	Installed Weight / Square	Pieces / Pallet	Squares / Pallet		Weight / Pallet	Approvals	Mansard Trim	Mansard Hip Starter	Mansard Apex 3-Way	
	16-1/2" x 13"	3-1/2"	At 3" minimum headlap, 90 field tiles will cover approx. 100 square feet of roof area.	Approx: 1030 lbs.	264	2.93		Approx: 2,010 lbs.	 Intertek Class 3 Hail Rated FM 4473	 1MACS	 1MICS	 1M3CS	
VILLA	Size	Height	Coverage	Installed Weight / Square	Pieces / Pallet	Squares / Pallet		Weight / Pallet	Approvals	Mansard Trim	Mansard Hip Starter	Mansard Apex 3-Way	
	16-1/2" x 13"	2-1/8"	At 3" minimum headlap, 90 field tiles will cover approx. 100 square feet of roof area.	Approx: 900 lbs.	304	3.37		Approx: 3,282 lbs.	—	 1MASS	 1MISS	 1M3SS	
SAXONY® 900 SLATE	Size	Height	Coverage	Installed Weight / Square	Pieces / Pallet	Squares / Pallet		Weight / Pallet	Approvals	90 Rake	V Ridge	Hip Starter	Apex 3-Way
	16-3/4" x 13"	1-5/32"	At 3" minimum headlap, 87 field tiles will cover approx. 100 square feet of roof area.	Approx: 930 lbs.	304	3.49		Approx: 3,660 lbs.	 Intertek Class 4 Hail Rated FM 4473	 19RCS/19RSS	 1RVCS/1RVSS	 1HICS/1HISS	 1A3CS/1A3SS
SAXONY® 900 SHAKE	Size	Height	Coverage	Installed Weight / Square	Pieces / Pallet	Squares / Pallet		Weight / Pallet	Approvals	90 Rake	V Ridge	Hip Starter	Apex 3-Way
	16-3/4" x 13"	1-9/32"	At 3" minimum headlap, 87 field tiles will cover approx. 100 square feet of roof area.	Approx: 930 lbs.	304	3.49		Approx: 3,660 lbs.	 Intertek Class 4 Hail Rated FM 4473	 19RCL	 1RVCL	 1HICL	 1A3CL
MADERA 900	Size	Height	Coverage	Installed Weight / Square	Pieces / Pallet	Squares / Pallet		Weight / Pallet	Approvals	90 Rake	V-Ridge	Tapered Eave Starter	
	13-1/2" x 13"	7/8"	At 3-1/2" minimum headlap, 120 field tiles will cover approx. 100 square feet of roof area.	Approx: 950 lbs.	360	3		Approx: 3,010 lbs.	 Intertek Class 3 Hail Rated FM 4473	 19CCL	 1VCCL	 1CECL	





**Visualize**

Picture your new roof with Newpoint™ Concrete Roof Tile Inspiration house photo gallery on our website.

**Order A Sample**

Deciding on the perfect roof can be overwhelming. So, instead of wondering what color or style will work, order a sample and take the guesswork out of your decision. It's just another way Newpoint™ Concrete Roof Tile makes it easy to buy with confidence.

**Architectural Tools**

Our complete suite of architectural tools, including Arcat 3-Part Specs and CAD/BIM drawings, are available for download directly from our website.

**Online Ordering**


Manage your orders through myWestlakeRoyal, a simple online tool to track product orders in real time, all from the convenience of your computer, tablet or smartphone. Sign-up for e-mail alerts to notify you of your order status.

**Limited Lifetime Warranty**

As a brand you can trust, Newpoint™ Concrete Roof Tile offers one of the most comprehensive, fully transferable roofing warranties available on the market today.

**Follow Us On Social Media**

See what everyone loves about Newpoint™ Concrete Roof Tile and get inspired on: Facebook, Twitter, LinkedIn, YouTube, HOUZZ, Pinterest and Instagram.



**Code Approval:** Some approvals are regional and only apply to locally produced products; please contact Newpoint™ before transporting product across state lines. Specifically, products used in the Miami Dade County region of Florida require special testing and recognition. All tiles are Class A fire rated.

**Disclaimer:** The printed colors shown in this brochure may vary from actual available tile colors. Before making a final selection, be sure to review actual tile samples and roof installations. Please contact your local sales office for further assistance. Inadvertent errors in this publication are subject to change without notice. No performance guarantee is offered or implied beyond that expressly indicated.

Efflorescence is a temporary surface condition which is common to all concrete products. The process is caused by the chemical nature of cement. This reaction can appear as an overall chalky white bloom (a softening of color) or in more concentrated patches. It is difficult to predict how long the effects of efflorescence will last. It depends on the type and amount of deposit as well as local weather conditions. The action of carbon dioxide and rainwater will gradually remove the deposit, in most cases, leaving the original color of the roof intact without further efflorescence occurring. It is superficial and in no way affects the quality or functional properties of the tile.

**Installation:** According to the Tile Roofing Institute loading guidelines, "To achieve a pleasant, random blend of color for your job, care should be taken upon loading to mix the tiles." (Source: 2015 Clay and Concrete Roof Tile Installation Manual). Please consult the Tile Roofing Institute (TRI) Installation guides for application recommendations.

**Cover:** Saxony® 900 Slate | Charleston



# Visit Our Design Center Showroom

1832 S. 51<sup>st</sup> Avenue, Phoenix, Arizona 85043

Monday - Friday by appointment only

T: 602.269.2288

## ABOUT WESTLAKE ROYAL ROOFING SOLUTIONS™

Westlake Royal Roofing Solutions™ is the combination of DaVinci® Roofscapes and the former Boral North America roofing product lines. The company is a recognized, national leader in durable and sustainable clay, composite, concrete, and steel roof systems and components. The company's offerings include US Tile® products, a legacy line of premium, stunning clay tile solutions manufactured to the highest standard of sustainability and craftsmanship; DaVinci® Roofscapes, beautiful and durable composite slate and shake roofing tiles; Newpoint™ Concrete Tile Roofing, the enduring line of concrete tile known for its superior strength, Class A fire rating and long-lasting beauty; Unified Steel™ Stone Coated Roofing, the ultra-lightweight roofing system which benefits from the structural strength of steel; and Westlake Royal™ Roofing Components, a full line of integrated roof components designed to deliver a higher standard of roof installation and performance.

## ABOUT ABOUT WESTLAKE ROYAL BUILDING PRODUCTS™

Westlake Royal Building Products USA Inc., a Westlake company (NYSE:WLK), is a leader throughout North America in the innovation, design, and production of a broad and diverse range of exterior and interior building products, including Siding and Accessories, Trim and Mouldings, Roofing, Stone, Windows and Outdoor Living. For more than 50 years, Westlake Royal Building Products has manufactured high quality, low maintenance products to meet the specifications and needs of building professionals, homeowners, architects, engineers and distributors, while providing stunning curb appeal with an unmatched array of colors, styles, and accessories.

For more information, please visit [WestlakeRoyalBuildingProducts.com](http://WestlakeRoyalBuildingProducts.com). Follow us on LinkedIn, Instagram and "Like" us on Facebook.

## Sales Offices

**Phoenix, ARIZONA**

**Corona, CALIFORNIA**

**Lathrop, CALIFORNIA**

**Stockton, CALIFORNIA**

**Rialto, CALIFORNIA**

**Denver, COLORADO**

**Lake Wales, FLORIDA**

**Okeechobee, FLORIDA**

**Pompano Beach, FLORIDA**

**Henderson, NEVADA**

**Kapolei, HAWAII**

**Fort Worth, TEXAS**

**Katy, TEXAS**

## Corporate Office

**Westlake Royal Building Products**

2801 Post Oak, Suite 600

Houston, Texas 77056

## Western Office

**Westlake Royal Roofing Solutions**

7575 Irvine Center Drive, Suite 100

Irvine, CA 92618

## Customer Service

800.669.TILE (8453)

## Website



**WestlakeRoyalRoofing.com**



**Westlake**  
Royal Roofing Solutions™